


ALIGN™

COMPOSITE CLADDING

STRIKING AESTHETICS WITH INSTALLATION EASE FOR A SUPERIOR OVERALL VALUE





REALISTIC WOOD TEXTURE WITH
HEIGHTENED **STRUCTURAL STRENGTH**



ALIGN COMPOSITE CLADDING HAS ARRIVED – AND THERE’S NOTHING ELSE LIKE IT

The architectural beauty of real wood, but with easier installation and better overall value. ALIGN Composite Cladding delivers the high-end aesthetics customers want and the lower total installed cost businesses need.

- Ample 7" flat face exposure and authentic cedar mill grain texture achieve the rich look of wood
- Strong yet lightweight construction ensures a high-performing home exterior

- Self-aligning stack lock provides a quicker and easier installation than fiber cement and engineered wood
- Requires fewer laborers – a single installer can get the job done!

You'll appreciate the time and cost savings of this trade-friendly cladding. When it comes to choosing one of the best products for your next project, you can depend on ALIGN for quality and ease like no other.

ALIGN OFFERS ONE OF THE LOWEST TOTAL COST OF CLADDING WITHOUT SACRIFICING CURB APPEAL – **WHICH MAY RESULT IN HIGHER PROFITABILITY FOR YOUR BUSINESS.**

EXCLUSIVE (GP)² TECHNOLOGY[®] FOR SUPERIOR PERFORMANCE




As the world's first composite cladding incorporating **G**lass-reinforced **P**olymer and **G**raphite-infused **P**olystyrene (GP)² Technology, ALIGN is in a class of its own.

Precision-engineered for superb form and functionality, ALIGN meets or exceeds industry test standards and criteria[†] for windload, workability, flame spread/smoke development and weatherability.

Take a closer look at the (GP)² Technology design ingenuity:

- Glass fibers in the compound increase structural integrity, strength and heat resistance
- Graphite-infused polystyrene increases energy efficiency^{††} and reduces thermal bridging; helps achieve an R-value of 2.0 when applied directly over sheathing
- Non-moisture absorbing materials prevent rotting, warping, shrinking and swelling
- Impact modifiers increase resistance to dents, dings and abrasions
- Titanium dioxide helps prevent ultraviolet degradation
- Integral weatherable pigments fortify the colors against fading, including darker hues

Superior Windload Resistance



ORGANIC WOOD BEAUTY

Impressive style and realistic texture of freshly painted wood, striking curb appeal, carefree upkeep and a curated palette of 20 fade-resistant colors.

Thermal Benefits and Impact Resistance



QUICK AND EASY INSTALLATION

No sealing, touching up, joint flashing or caulking are required – which may result in higher profitability for your business.

Class A Fire Rated for Flame Spread/Smoke Development



A LIFETIME OF PROTECTION

ALIGN Composite Cladding is backed by a lifetime limited warranty,* further assurance of exceptional quality, performance and value.



HIGH-END ARCHITECTURAL APPEAL
INSTALLATION EASE
VIRTUALLY MAINTENANCE-FREE
COMPATIBLE TRIM, WINDOWS AND ACCESSORIES
LIFETIME LIMITED WARRANTY



ALIGN COMPOSITE CLADDING

TAKING THE LEAD IN **FUTURE-FORWARD BUILDING MATERIALS**

		FIBER CEMENT/ ENGINEERED WOOD	VINYL SIDING	ALIGN™
ARCHITECTURAL APPEAL	Authentic woodgrain beauty	●		●
	Tall profile/exposure	●		●
	Flat face	●		●
QUALITY AND PERFORMANCE	Structural strength and solid feel against the wall	●		●
	Compatible with high-end trim options	●		●
	Moisture-resistant (won't swell)		●	●
	Resists high winds with unexposed fasteners		●	●
	Carefree upkeep		●	●
	Lifetime limited warranty*		●	●
USER-FRIENDLY INSTALLATION	Easy to handle		●	●
	Simple installation (self-aligning, one-person hang)		●	●
	No sealing, touching up, joint flashing or caulking		●	●
	No specialized skills required (less risk of installation errors)		●	●
	Enhanced safety (no respirators or special tools needed)		●	●



REINFORCED NAIL HEM
delivers extra-strong wall attachment
and increased windload resistance.

FORGIVING HANG
helps conceal uneven surfaces
and minor wall imperfections.

SELF-ALIGNING STACK LOCK
provides consistent and easy installation.

(GP)² TECHNOLOGY[®]
ensures lower expansion and greater
structural integrity.

**INTEGRATED ENERGY-SAVING
INSULATION**
helps prevent energy loss year-round.

**7" FLAT FACE PROFILE WITH
CEDAR MILL GRAIN TEXTURE**
recreates the organic beauty of natural wood.

ON-TREND COLOR PALETTE
features 20 fade-resistant, low-gloss
colors for extensive design options.

**COMPATIBLE 3/4"
PANEL PROJECTION**
works beautifully with both standard and
architectural trim accents.

DEFINED BUTT EDGE
replicates the look of wood, with added
dimension and a crisp shadow line.



Monochromatic Colors



Contrasting Hues

CREATE CUSTOM STYLE

Set the stage for creating a beautiful home exterior by exploring a variety of color combinations.

- For a subtle and timelessly sophisticated look, consider a monochromatic color scheme. The similar shades will unify architectural elements and create the appearance of a larger home.
- If you prefer a more dramatic design, choose a contrasting color to accentuate gables, dormers or other areas of interest. Contrasting hues lend depth and visual appeal to the features of the home.
- As a starting point in the design process, begin with three colors. If you opt for two cladding colors, use the darker hue on the bottom. Select a third color for trim details. Further refine your design with an accent of faux stone, brick, shakes or scallops.

COLOR DEFINES THE DESIGN

Nothing does more to impact a home's exterior design than color. From deep saturated hues in cool neutrals to bold shades and light-changing grays, Gentek has everything you need to let your vision unfold.

IT'S THE DETAILS THAT MAKE A DIFFERENCE

With ALIGN, superb aesthetics, workability and performance come together – installing easily and providing homeowners with a lifetime of minimal maintenance.

Explore More at
[ALIGNCompositeCladding.com](https://aligncompositecladding.com)



3773 State Road, Cuyahoga Falls, Ohio 44223
www.gentekinc.com

Make us a part of your home.



†For specifications, performance test data and code compliance, visit <https://aligncompositecladding.com/wp-content/uploads/2020/11/Gentek-ALIGN-3-Part-Specification.pdf> and <https://aligncompositecladding.com/wp-content/uploads/2020/11/Code-Compliance-Research-Report.pdf>. ††See your Gentek Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. Energy savings assume proper installation and use. *For a copy of the written product warranty, please visit https://aligncompositecladding.com/wp-content/uploads/2020/11/ALIGN_Warranty.pdf or contact your Gentek Sales Representative. Limited warranty does not apply to damage caused by faulty or improper installation, or causes outside of Gentek's control. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. All specifications and designs subject to change without notice. Due to product changes, improvements and other factors, Gentek reserves the right to change or delete information contained herein without prior notice. Trademarks mentioned in this document are the property of Gentek Building Products, its affiliates, or their respective owners.

9831-700/9-23/5M OP © 2023, Gentek Building Products, Inc. Printed in the U.S.A.

Please recycle this literature. 