



HIGH-PERFORMANCE VINYL WINDOWS

A NEW LEVEL OF QUALITY AND STYLE




OUR WINDOWS. YOUR PEACE OF MIND.

Visually exciting and powerfully built, Gentek windows will dramatically heighten the style and comfort of your home. Equally important, they will deliver true peace of mind that you have chosen a high-performance window from a respected manufacturer. Pride in our products and "Custom-Crafted in the U.S.A." ingenuity are at the heart of our commitment to quality. It's what makes our windows among the best in the industry and our service second to none.

Gentek windows are custom-made to your exact specifications and backed by decades of window manufacturing expertise. Engineering, innovation, rigorous testing and stringent quality control are just a few ways that we turn cutting-edge technology into superior windows and satisfied customers. When you choose Gentek windows for your home, you can be assured of the highest levels of performance, beauty and value.









Impressive strength, refined construction and an expanded glass area are beautifully presented in this narrowline frame and sash. And while BroadView's low-profile elegance captures your attention, embedded chambers are hard at work, increasing energy efficiency, rigidity and durability.



Fortress is the champion of peace of mind. The positive end-of-throw cam shifting lock creates a powerful locking system that seals the sash tightly closed. Fortress' well-designed hardware also features an indicator that lets you know if your windows are not locked.



CoreTec further enhances thermal performance at the meeting rails. The low-conductive composite reinforcement reduces the transfer of energy, while also allowing for secure mounting of hardware.1



This innovative telescoping sill dam provides triple benefits: increased structural stability, greater protection from air and water infiltration, and enhanced beauty. It marries strength and style with advanced window technology.



Both the form and functionality of Gradient work in tandem to deliver a highly effective drainage system. Gradient's smooth surface and true sloped sill promote water runoff without the use of weep holes to help keep the exterior window attractive.²



Increased strength and resistance to bowing during high winds are achieved with our LinkSync sash-to-sill interlock. The concealed channel nests the sash into the sill to create a wall of resistance against harsh wind and weather.



This smartly designed compression bulb seal reduces unsightly light penetration between the screen and window frame and helps keep insects out. DuraFit also provides for easier screen installation and removal.3


For enhanced appearance and installation ease, two additional frame options also are offered. Also available in single-hung.



Set Back



Set Back with J-Channel Adaptor



CAVITY FOAM INSULATION FRAME OPTION

This innovative technology utilizes carbonized foam inserts in select channels of the head. iamb and sill to create a highly effective thermal barrier against energy loss. The graphite-enhanced foam outperforms typical EPS foam insulation in preventing air infiltration for improved indoor comfort. Available in double-hung, single-hung and picture windows.

ADDITIONAL FEATURES

- Fusion-welded mainframe and sash corners for superior strength, tight corners and a beautiful finished look
- Multi-chambered construction creates airtight insulating spaces for greater thermal protection and durability
- · Dual-pane, double-strength insulating glass provides energy efficiency
- Protective, multi-layer weatherstripping improves energy efficiency
- · Beveled interior frame adds dimension for a refined appearance
- Dual vent stops offer limited and convenient opening of the window for ventilation
- Hidden screen track creates a clean-line design for enhanced visual appeal; half screens are standard, optional full screens are available4

¹Double-hung base model will automatically be upgraded to ST (steel reinforcement) for all units ordered in excess of 48" wide or 84" high. ²For larger size windows or to meet specific DP/PG ratings, optional weeps/performance package must be ordered 3Available only with the full screen option.

⁴Full screens are standard on exterior color-finished windows.

TRADEMARK STYLE WITH SIMPLE UPKEEP

Season after season, year after year, Signature Elite windows will maintain their classic beauty despite exposure to the elements. The premium vinyl construction won't rot, split, corrode or pit like painted wood windows and won't swell or warp from exposure to moisture. Durable and strong, your windows will beautifully withstand everyday wear and tear and never need to be painted.



CONSERVE MORE ENERGY WITH INSULATED GLASS[†]

For most homeowners, lowering fuel costs for heating and cooling is a key motivation for purchasing new windows. Windows are roughly 80% glass, so it's important to choose a high-performance glass system for your home and specific climate conditions. Signature Elite windows are built with a dual-pane insulating glass unit with double-strength glass. Upgrading your windows with a Low-E (low-emissivity) glass system^{††} will further increase the overall energy efficiency. Low-E glass features a virtually clear, metallic coating that acts as a thermal mirror, reflecting radiant heat back into your home during winter and reducing unwanted solar energy in the summer.



Winter Energy Savings: Low-E insulating glass reduces heat loss by reflecting warm air back into your home.



Summer Energy Savings: Low-E helps block unwanted solar heat penetration to help cut air-conditioning use.

Signature Elite is available with a variety of insulated glass packages to let you customize your windows' performance.

- BarrierXP combines insulating Low-E glass, argon gas and the Intercept® Warm-Edge Spacer System.
- BarrierXP ThermD features insulating Low-E glass, argon gas and a Stainless Steel Intercept Warm-Edge Spacer System for even greater energy savings.




BARRIERXP THERMD WITH STAINLESS STEEL INTERCEPT SPACER FOR INCREASED STRENGTH

The spacer system in your window provides two important functions: stabilizing the panes of glass and enhancing energy efficiency. BarrierXP ThermD Stainless Steel Intercept spacer delivers greater performance with its stainless steel alloy and patented U-shaped design. Recognized for its unequaled strength, durability and resistance to corrosion, stainless steel is also impervious to gas transmission, which improves insulating gas retention in the window unit and increases its thermal barrier. The stainless steel spacer is expertly built to withstand effects of temperature changes with flex and low stress on the sealant bond, thus helping to prevent seal failure.

Better by Design BarrierXP ThermD Stainless Steel Intercept spacer with moisture vapor barrier is stronger by design and better at retaining insulating gas compared to traditional box metal spacers. The patented U-shaped design helps prevent the transfer of heat at the edge of the glass for improved energy efficiency and overall better performance.

CHOOSE TRIPLE-PANE GLASS TECHNOLOGY FOR GREATER INSULATING PERFORMANCE

Our triple-pane glass system will further increase the energy efficiency of your Signature Elite windows. This precision-engineered design incorporates a 1" thick (nominal) glass unit, three panes of single-strength glass, two surfaces of Low-E technology, and two spaces of argon gas, along with the BarrierXP ThermD Stainless Steel Intercept spacer for an impressive energy-saving shield. The heavy-duty triple-pane construction also helps reduce outside noise penetration for a quieter, more comfortable indoor environment.





SIGNATURE ELITE MEETS STRINGENT ENERGY STAR® REQUIREMENTS

Superior quality with outstanding affordability — Signature Elite achieves triple-pane energy-saving performance in a dual-pane unit that meets or exceeds stringent ENERGY STAR requirements. The dual-pane unit features double-strength insulated glass, energy-engineered frame and sash and low-conductive composite reinforcements for a highly efficient window design.

Signature Elite windows and Gentek patio doors are available with a variety of glass options. Please consult your window professional to help you choose an energy-efficient glass package to meet the ENERGY STAR requirements for your home and climate zone.



CUSTOMIZE YOUR WINDOWS' PERFORMANCE

When selecting an energy-saving glass package for your windows, you'll want to consider the specific weather challenges facing your home. The chart below makes it easy to compare the glass performance and tailor the window to meet your needs. The lower the U-Factor, the less energy you'll need to heat your home. The lower the Solar Heat Gain Coefficient (SHGC), the more you'll conserve on air-conditioning.

Thermal Performance⁵ Comparison

	Double- U-Factor	Hung SHGC	Slidi U-Factor	
Clear Glass	0.46	0.57	0.46	0.58
BarrierXP	0.29	0.28	0.29	0.31
BarrierXPsc	0.29	0.21	0.28	0.21
BarrierXP ThermD	0.28	0.28	0.28	0.31
BarrierXPsc ThermD	0.28	0.21	0.27	0.21
BarrierXP ThermD S3	0.28	0.35	0.28	0.38
BarrierXP QUATTRO ThermD	0.25	0.47	0.25	0.47
BarrierXP ThermD TG2 ⁶	0.21	0.24	0.21	0.27
BarrierXPsc ThermD TG2 ⁶	0.21	0.19	0.20	0.19
BarrierXP Pri ME ThermD S6 ⁷	0.19	0.22	0.19	0.22

⁵ Whole window values are based on double-strength glass, standard Signature Elite offering with composite reinforcements. ST and HP performance values are also available.

TESTED AND CERTIFIED

Signature Elite windows meet or exceed Air, Water and Structural Loads performance requirements as determined through ASTM International (formerly the American Society for Testing and Materials) test methods, the globally recognized standards for product quality and safety.

Glass Package Terminology

Clear Glass: Double-paned clear glass unit.

BarrierXP: Double-paned unit with one pane of Low-E glass, argon gas and standard Intercept spacer.

BarrierXPsc: Double-paned unit with one pane of Low-E SHGC glass, argon gas and standard Intercept spacer.

BarrierXP ThermD: Double-paned unit with one pane of Low-E glass, argon gas and Stainless Steel Intercept spacer.

BarrierXPsc ThermD: Double-paned unit with one pane of Low-E SHGC glass, argon gas and Stainless Steel Intercept spacer.

BarrierXP ThermD S3: Double-paned unit with one pane of Low-E glass on surface 3, argon gas and Stainless Steel Intercept spacer.

BarrierXP QUATTRO ThermD: Double-paned unit with two panes of solar-enriched Low-E glass (surfaces 2 and 4), argon gas and Stainless Steel Intercept spacer.

BarrierXP ThermD TG2: Triple-paned unit with two panes of Low-E glass, argon gas and Stainless Steel Intercept spacer.


BarrierXPsc ThermD TG2: Triple-paned unit with one pane of Low-E glass, one pane of Low-E SHGC glass, argon gas and Stainless Steel Intercept spacer.


BarrierXP PriME ThermD S6: Triple-paned unit with three panes of Low-E glass, two air spaces of argon gas and Stainless Steel Intercept spacer.



⁶Whole window values are based on single-strength glass.

⁷ Double-hung window requires Enhanced Cavity Foam.








BroadView – the name alone takes you to the heart of this exciting design feature. The expanded glass area offers greater daylighting and outdoor viewing, while also giving your interior a lighter, more spacious ambiance. The narrowline frame and sash convey contemporary styling, yet provide increased strength and insulating performance with a network of internal chambering.



A pleasing design rain or shine! Beautifully constructed without the need for weep holes, the true sloped sill drains water quickly to help prevent build up of moisture or debris. But there's more to Gradient than its sleek, clean aesthetics. Combined with the LinkSync sash-to-sill interlock, Gradient also increases structural stability and protection from inclement weather.







To appreciate the performance significance of Traverse, you must go behind the scene of its stylish, neatly built appearance. Here you will see the concealed telescoping construction that fortifies the sill dam, making it stronger and more effective at blocking air and water infiltration.



When the wind picks up, no need to worry. Inside the framework of the sill, we've built a channel that interlocks with the sash, increasing its control against challenging winds. Traditional sloped sill designs can allow the sash to bow from wind pressure. Weather-defying LinkSync marries the sash to the window frame for greater strength and insulating defense against energy loss.

Window Styles

Classic, contemporary, urban or rural – you'll find the perfect window to complement your home. Signature Elite features a versatile collection of styles, sizes and configurations to let you customize your window system.



Heavy-duty lock and keeper seals the window firmly closed for added comfort and energy efficiency.



Dual vent stops allow for limited opening of the window for ventilation.



DOUBLE-HUNG

Double-hung windows create a fresh appearance while simplifying the upkeep of your home. The refined detailing of the low-profile sash and mainframe convey casual elegance with crisp corners and traditional appeal, while the integrated energy-saving construction protects your home with a strong and durable shield.

A widely popular choice, double-hung windows are especially notable for their easy-care, easy-clean functionality. No need to struggle with ladders to reach the exterior glass. Both sashes tilt in to allow convenient cleaning of the window from inside your home.



Combine our FoxWood interior woodgrain finish and contoured grids in a top-only Colonial pattern for custom beauty.

Double-hung base model will automatically be upgraded to ST (steel reinforcement) for all units ordered in excess of 48" wide or 84" high.

- Fusion-welded mainframe and sash corners increase strength and create a clean, neat appearance
- High-performance insulated glass unit features double-strength glass and warm-edge spacer system
- Integrated, multi-chambered construction provides insulating air spaces for energy efficiency and enhanced durability
- Sash-to-sill nested interlock increases strength to help prevent the sash from bowing in harsh winds
- Low-conductive, composite reinforcement in the meeting rails improves energy efficiency and allows for secure mounting of hardware⁹
- True sloped sill drains water quickly to the exterior to inhibit water and debris accumulation
- DuraLift block and tackle balance system ensures years of easy, smooth operation of the sashes
- Hidden screen track creates a clean-line appearance for enhanced aesthetic appeal
- · Also available in single-hung



Double-hung windows are easy to clean! Both sashes tilt in for convenient access from inside your home.

SLIDING

The bonus here is wide-open viewing. Sliding windows offer a large, unobstructed glass area that lets you enjoy the beauty of outdoors from every angle. Expertly crafted slimline sashes glide horizontally for smooth operation and lift out for easy cleaning.¹⁰ You'll appreciate the attractive style and modern practicality of your sliding windows from day one.

This two-lite sliding window features a Prairie grid pattern for a subtle touch of style.



- Fusion-welded mainframe and sash corners increase strength and create a clean, neat appearance
- High-performance insulated glass unit features double-strength glass and warm-edge spacer system
- Integrated, multi-chambered construction provides insulating air spaces for energy efficiency and enhanced durability
- Low-conductive, composite reinforcement in the meeting rails improves energy efficiency and allows for secure mounting of hardware¹¹
- Nylon-encased dual brass roller system ensures effortless operation of the sashes
- Hidden screen track creates a clean-line appearance for enhanced aesthetic appeal

Contoured grids in a Colonial pattern add architectural detail to the end units of a three-lite window.






PICTURE AND SPECIAL SHAPES

Signature Elite picture windows and special architectural shapes inspire creativity and excitement in transforming your home. Picture windows can be used alone or combined with special shapes to create a dramatic window focal point. In any size or shape, you can be assured of enduring beauty and weathertight protection.

- Insulated glass unit features double-strength glass and warm-edge spacer system (picture windows) for thermal protection and longevity
- Narrowline frame with fusion-welded corners for enhanced style, strength and energy efficiency
- Embedded, multi-chambered construction creates airtight insulating compartments to help prevent energy loss and increase structural integrity
































Extended Lea









CASEMENT AND AWNING



Casement and awning windows seamlessly blend traditional elegance with state-of-the-art technology. An updated slimline style enhances the charming appeal with an easy-touch crank handle in low-profile nesting hardware. Smooth and reliable operation of the sash is assured, with casement windows gently opening outward and awning windows opening up and out.

CASEMENT

- · Beveled exterior sash provides an attractive finish while creating the appearance of a larger glass area
- Step-down frame with compression-type inner bulb seal achieves a tight seal during inclement weather
- Precision-engineered hinge system offers multi-directional ventilation and allows sash cleaning from inside the home
- Positive crank mechanism ensures easy operation when opening and closing the sash
- Multiple lite configurations available in a single mainframe
- · Combine casements and fixed lites to create a larger window design with an expanded outdoor view

AWNING

- Beveled exterior sash imparts style and dimension while creating the appearance of a larger glass area
- Precision-engineered hinge system allows easy operation of the sash
- Dual-point locking system provides a tight seal and energy efficiency
- Multiple lite configurations available in a single mainframe
- Combine awning windows with fixed lites to conveniently add ventilation

BAY, BOW AND GARDEN

Quality and artistic detail are revealed in our handsome collection of bay, bow and garden windows. Bay and bow windows add a deeper dimension to the interior while also enriching the curb appeal of your home. Garden windows create a magic all of their own with blooming flowers, fresh herbs and the pleasure of gardening all year long.



BAY AND BOW

- Head, seatboard and jamb construction are standard in 1-1/4" furniture-grade veneer
- Head and seatboard are finished in Oak or Maple/Birch veneers and may be finished with your own paint or stain*
- Internal sill pan adds greater protection against water infiltration
- 3" or 5" high-density foam insulated seatboard option helps improve thermal performance
- Heavy-duty turnbuckle hanging system; no external braces needed
- . Choose from a variety of beautiful finishes and colors
- Exterior roof system available with optional copper or painted aluminum roof clad kits

GARDEN

- Generous 17" seatboard depth
- Heavy-duty, fusion-welded mainframe provides superior strength
- Sloped top insulating glass panel is tempered for added durability and integrity
- Clear 1" thick (nominal) insulated glass unit provides all-weather protection
- End casements are fully screened to allow fresh air in while keeping insects out
- Multi-point locking system for a tighter seal and added comfort
- · Available with white screens and white hardware only







SLIDING PATIO DOORS

The true test of a quality patio door is its performance. A strong, durable and weathertight construction must merge perfectly with beautiful aesthetics. From the design and engineering to the finished installation, our doors are built to not only create a welcoming entry but provide flawless operation.

You'll appreciate the smooth and reliable gliding action of the moving panel and screen, along with the tight seal that shields your home from inclement weather. The large insulated glass unit creates a generous infusion of natural light and the feeling of an expanded living area while enhancing your indoor comfort. Choose from three masterfully crafted styles in Classic, Contemporary and French.





- High-performance vinyl construction is colored through and through – won't chip, peel, crack or warp and never needs to be painted
- Heavy-duty mainframe and sash feature a doublewall design and multi-chambered construction for outstanding structural integrity and energy efficiency
- Steel reinforcements at the interlocks and lock rails increase strength and rigidity
- 1" thick (nominal) insulated glass unit with structural foam spacer system provides a powerful shield against energy loss
- Precision-engineered tandem roller system ensures quiet and easy operation of the door panel
- Deep anodize finished aluminum roller track helps eliminate the possibility of unsightly dark residue and wearing typical of aluminum tracks while ensuring easy-glide operation
- Heavy-duty extruded aluminum screen features four adjustable rollers for smooth sliding action
- Available in a variety of solid colors, woodgrain options, hardware finishes and grid patterns
- Choose from a 2-panel style in 5', 6', 8' and Wisconsin-style widths; 3-panel styles in 9' and 12' widths; and a 4-panel style in a 12' width with center panels that open to each side
- ENERGY STAR-certified BarrierXP insulated glass package options

Our Classic door features 5" rails and a clean-line design for timeless style.



Add the perfect finishing touch to your patio door with one of our attractive handle selections. Classic and Contemporary door handles feature a popular thumb latch design. The French-style door handle is contoured and includes a top lock. Both are offered in seven interior finishes; exterior color choices are White, Beige, Classic Clay and Black.









Chrome













Chrome









Portfolio® Color Collection

Our Portfolio Color Collection will change the way you think about your windows. The rich architectural exterior colors inspire a higher level of visual appeal and custom-crafted beauty, while interior finishes in warm woodgrains further enhance your home's interior décor.

The high-performance exterior hues are achieved with a cutting-edge polyurethane coating technology incorporating heat-reflective pigments to ensure a remarkably strong, fade-resistant and highly weatherable finish that's easy to clean. Our interior woodgrain laminate finishes are precision-engineered for outstanding durability that maintains its attractive appearance over the life of the product. Together, this innovative design collection delivers the perfect fusion of style and strength.

EXTERIOR PALETTE



INTERIOR PALETTE



¹²Extruded solid color. Note: Classic Clay base is not available with exterior color finishes.

¹³White Woodgrain is available with a Beige or Classic Clay base only.

White, Beige and Classic Clay windows and patio doors will have matching interior hardware. Windows and patio doors ordered with a Rich Maple, Light Oak or Dark Oak interior will receive Pontiac Gold hardware. Windows and patio doors ordered with a FoxWood or Cherry interior will receive Brown hardware.



INTERIOR GRIDS

Grids are a simple yet stylish way to add personality to your windows. All grids are enclosed within the insulated glass unit for easy cleaning. First, select your preferred grid pattern and then choose a grid profile to achieve the desired finished look.

Grid Patterns



Decorative Grid Patterns:

Colonial – available in Flat. 3/4" Contoured and 1" Contoured grids


Diamond - available in Flat grids

Craftsman - available in Flat, 3/4" Contoured and 1" Contoured grids

Prairie and Double Perimeter – available in Flat. 3/4" Contoured and 1" Contoured grids

Note: 1" Contoured grids are not offered in woodgrain colors.

Grid Profiles



V-GROOVED CUT GLASS

V-grooved cut glass imparts the perfect touch of elegance without obstructing the view. Choose one of our timeless glass patterns to customize your windows and patio doors.







Prairie

EXTERIOR TRIM CASING AND BRICKMOULD

Ask about our TrimEssentials Decorative Window Accents with SwiftLock® Technology. This patented exterior trim system features a variety of brickmould and casing options that are custom fabricated with each window to ensure a beautifully uniform appearance and installation ease.





Flat Casing Available with and without bullnose sill.



Brickmould Available in 1-1/2" and 3/4" profiles.

SIMULATED DIVIDED LITES

Featuring grids affixed to the interior and exterior of the window - and shadow bars between the panes of glass - our Simulated Divided Lites beautifully replicate the handcrafted aesthetic of true divided lites.

Note: Not available with triple-pane glass packages



1-1/4" with Mill Finish Shadow Bars



7/8" with Mill Finish Shadow Bars



A WORD ABOUT QUALITY

Gentek delivers the confidence and value only a true leader can provide. We proudly stand behind our products with the full faith of our more than 55 years of manufacturing expertise and some of the strongest warranties in the industry. Our voluntary participation in rigorous quality certifications and independent testing are further assurance you have made an excellent selection for your home.

A LIFETIME OF PROTECTION

Signature Elite windows carry a lifetime limited warranty - your assurance of lasting performance and genuine value. In addition, Portfolio Color Collection exterior finishes are backed by 10 year fade-resistance warranty coverage. For complete warranty information, including limitations, ask your dealer for a copy of the Gentek replacement window warranty.**



GLASS BREAKAGE WARRANTY

For added protection, ask your dealer about our optional glass breakage warranty. **









For a complete list of air, water and structural performance results as well as specific code approvals, visit www.gentekwindows.net.



3773 State Road, Cuyahoga Falls, Ohio 44223 www.gentekinc.com

Make us a part of your home.



†See your Gentek Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. Energy savings assume proper installation and use. Not all products are ENERGY STAR-certified. **Insulated glass (IG) units that require capillary tubes may experience some argon gas depletion. *All wood components require proper prep of the hardwood prior to painting or staining in order for the wood surface to accept the paint or stain. Failure to follow the published finishing procedures may result in an unsightly finish. It is imperative that your new bay or bow window is sealed and finished properly within the first 30 days after installation. Failure to properly finish and seal all of the wood components may cause the wood to fade, swell, warp, or develop other defects that would not be covered under your normal product warranty, *For a copy of the written product warranty, please visit www.gentekinc.com/support/warranty/ or contact your Gentek dealer. Limited warranty does not apply to damage caused by faulty or improper installation, or causes outside of Gentek's control. Note for patio door: Prairie and Perimeter grid patterns with an unsupported grid span of 40" or greater are subject to a short stabilizer grid to maintain grid integrity. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. All specifications and designs subject to change without notice. Due to product changes, improvements and other factors. Gentek reserves the right to change or delete information contained herein without prior notice. WARNING: Screen will not stop child from falling out window or patio door. Keep child away from open window or door. The only purpose of the screen is to reduce the infiltration of insects. Trademarks mentioned in this document are the property of Gentek Building Products, its affiliates or their respective owners. ENERGY STAR name and logo are registered U.S. marks and are owned by the U.S. government.

Please recycle this literature.